

Additional Reading List

- Barroso, M. V., de Carvalho, C. V. A., Antoniassi, R., and Cerqueira, V. R. 2013. Use of the copepod *Acartia tonsa* as the first live food for larvae of the fat snook *Centropomus parallelus*. *Aquaculture*, 388–391: 153–158.
- Busch, K. E. T., Falk-Petersen, I.-B., Peruzzi, S., Rist, N. A., and Hamre, K. 2010. Natural zooplankton as larval feed in intensive rearing systems for juvenile production of Atlantic cod (*Gadus morhua* L.). *Aquaculture Research*, 41: 1727-1740.
- Czesny, S. J., Rinchard, J., Hanson, S. D., Dettmers, J. M., and Dabrowski, K. 2011. Fatty acid signatures of Lake Michigan prey fish and invertebrates: among-species differences and spatiotemporal variability. *Canadian Journal of Fisheries and Aquatic Sciences*, 68: 1211-1230.
- Dalsgaard, J., St John, M., Kattner, G., Muller-Navarra, D., and Hagen, W. 2003. Fatty acid trophic markers in the pelagic marine environment. *Advances in Marine Biology*, Vol 46, 46: 225-340.
- Iverson, S. J., Frost, K. J., and Lang, S. L. C. 2002. Fat content and fatty acid composition of forage fish and invertebrates in Prince William Sound, Alaska: factors contributing to among and within species variability. *Marine Ecology Progress Series*, 241: 161-181.
- Kuerten, B., Painting, S. J., Struck, U., Polunin, N. V. C., and Middelburg, J. J. 2013. Tracking seasonal changes in North Sea zooplankton trophic dynamics using stable isotopes. *Biogeochemistry*, 113: 167-187.
- Leu, E., Daase, M., Schulz, K. G., Stuhr, A., and Riebesell, U. 2013. Effect of ocean acidification on the fatty acid composition of a natural plankton community. *Biogeosciences*, 10: 1143-1153.
- Paulsen, M., Clemmesen, C., and Malzahn, A. M. 2014. Essential fatty acid (docosahexaenoic acid, DHA) availability affects growth of larval herring in the field. *Marine Biology*, 161: 239-244.
- Reuss, N., and Poulsen, L. K. 2002. Evaluation of fatty acids as biomarkers for a natural plankton community. A field study of a spring bloom and a post-bloom period off West Greenland. *Marine Biology*, 141: 423-434.
- Rossi, S., Youngbluth, M. J., Jacoby, C. A., Pages, F., and Garrofe, X. 2008. Fatty acid trophic markers and trophic links among seston, crustacean zooplankton and the siphonophore *Nanomia cara* in Georges Basin and Oceanographer Canyon (NW Atlantic). *Scientia Marina*, 72: 403-416.
- Tang, B., Liu, B., Wang, G., Zhang, T., and Xiang, J. 2006. Effects of various algal diets and starvation on larval growth and survival of Meretrix meretrix. *Aquaculture*, 254: 526-533.
- van der Meeren, T., Olsen, R. E., Hamre, K., and Fyhn, H. J. 2008. Biochemical composition of copepods for evaluation of feed quality in production of juvenile marine fish. *Aquaculture*, 274: 375-397.