

## **MÅLEMETODER OG EVALUERINGSFORMER (FYST331) VÅRSEMESTERET 2014**

### **Pensumbøker:**

de Vet HCW, Terwee CB, Mokkink LB, Dirk L, Knol DL. Measurement in Medicine. A Practical Guide. VU University Medical Center, Amsterdam 2011. (348 pages) ISBN:9780521133852.

Carter, RE, Lubinsky J, Domholdt E. (eds). Rehabilitation Research: Principles and Applications. Missouri: Elsevier Saunders, 2011.

### **Anbefalte bøker:**

ICF. Internasjonal klassifikasjon av funksjon, funksjonshemming og helse. World Health Organization 2001. Oversatt og tilrettelagt av KITH og utgitt av Sosial- og helsedirektoratet med tillatelse fra WHO. Trondhjem, Aktietrykkeriet 2003:3-23.

Streiner DL, Norman GR. Health measurement scales. A practical guide to their development and use. 3. ed. Oxford: Oxford University Press 2008.

Heath, Hindmarsh and Luff, eds. Video in qualitative research. Analysing social interactions in everyday life. Chapters 2, 3, 4. Sage, Los Angeles 2011, p 14-85.

### **Pensum. Artikler og utdrag fra bøker, bokkapitler**

Ljunggren AE. Perspektiver på vurderingsmetoder innen faget fysioterapi. Fysioterapeuten 1995;62(1):23-6.

### **ICF**

Finger ME, Escorpizo R, Glassel A et al. ICF Core Set for vocational rehabilitation: results of an international consensus conference. Disabil Rehabil 2011.

<http://www.ncbi.nlm.nih.gov/pubmed/21981443?dopt=Citation>

Mullis R, Barber J, Lewis M, Hay E. ICF Core Sets for low back pain: Do they include what matters to patients? J Rehabil Med 2007; 39:353-7.

<http://www.ncbi.nlm.nih.gov/pubmed/17549324?dopt=Citation>

Cieza A and Stucki G. The International Classification of Functioning Disability and Health: its development process and content validity. Eur J Phys Rehabil Med 2008., 44, 303-13.

<http://www.ncbi.nlm.nih.gov/pubmed/18762740?dopt=Citation>

**Utvikling av målemetoder og undersøkelse av måleegenskaper**

Dragesund T, Ljunggren AE, Kvåle A, Strand LI. Body Awareness Rating Questionnaire - Development of a self-administered questionnaire for patients with long-lasting musculoskeletal and psychosomatic disorders. *Advances in Physiotherapy* 2010;12:87-94

<http://informahealthcare.com/doi/abs/10.3109/14038191003706545>

Grotle M, Brox JI, Vollestad NK. Concurrent comparison of responsiveness in pain and functional status measurements used for patients with low back. *Spine* 2004;29:E492-E501.

<http://www.ncbi.nlm.nih.gov/pubmed/15507789?dopt=Citation>

Kvåle A, Bunkan BH, Opjordsmoen S, Friis S. Development of the Movement domain in the Global Body Examination. *Physiotherapy Theory and Practice*, 28(1):2012, 41–49. DOI: 10.3109/09593985.2011.561419

<http://informahealthcare.com/doi/abs/10.3109/09593985.2011.561419>

Kvåle A, Bunkan BH, Opjordsmoen S, Ljunggren AE, Friis S. Development of the Posture domain in the Global Body Examination (GBE). *Advances in Physiotherapy* 2010;12(3):157-165

<http://informahealthcare.com/doi/abs/10.3109/14038196.2010.489618>

Lygren H, Dragesund T, Joensen J, Ask T, Moe-Nilssen R. Test-retest reliability of the Progressive Isoinertial Lifting Evaluation (PILE). *Spine* 2005; 30:1070-74.

<http://www.ncbi.nlm.nih.gov/pubmed/15864161?dopt=Citation>

Magnussen L, Strand LI, Lygren H. Reliability and validity of the Back Performance Scale: observing activity limitation in patients with back pain. *Spine* 2004;29:903-7.

<http://www.ncbi.nlm.nih.gov/pubmed/15082994?dopt=Citation>

Moe-Nilssen R. Test-retest reliability of trunk accelerometry during standing and walking. *Arch Phys Med Rehabil.* 1998;79:1377-85.

<http://www.ncbi.nlm.nih.gov/pubmed/9821897?dopt=Citation>

Moe-Nilssen R, Nordin E, and Lundin-Olsson L. Criteria for evaluation of measurement properties of clinical balance measures for use in fall prevention studies. *Journal of Evaluation in Clinical Practice* 2008;14:236-40.

<http://www.ncbi.nlm.nih.gov/pubmed/18324932?dopt=Citation>

Strand LI, Ljunggren AE, Bogen BE, Ask T, Johnsen TB. The Short-Form McGill Pain Questionnaire as an outcome measure: Test-retest reliability and responsiveness to change. *European Journal of Pain* 2008;(12):917-25

<http://www.ncbi.nlm.nih.gov/pubmed/18289893?dopt=Citation>

Dworkin RH, Turk DC, Farrar JT et al. Core outcome measures for chronic pain in clinical trials: IMMPACT recommendations. *Pain* 2005;113:9-19.

<http://www.ncbi.nlm.nih.gov/pubmed/15621359?dopt=Citation>

Farrar JT, Young JP, LaMoreaux L, Werth JL, Poole RM. Clinical importance of changes in chronic pain intensity measured on an 11-point numerical pain rating scale. *Pain* 2001; 94:149-58.

<http://www.ncbi.nlm.nih.gov/pubmed/11690728?dopt=Citation>

### **Måleteori**

Bland JM, Altman DG. Measurement error. *BMJ* 1996;313:744.

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2351401/?tool=pubmed>

Beaton,D.E.; Bombardier,C.; Guillemin,F.; Ferraz,M.B. Guidelines for the process of cross-cultural adaptation of self-report measures. *Spine* 2000;25:3186-91.

<http://www.ncbi.nlm.nih.gov/pubmed/11124735?dopt=Citation>

Bot SDM, de Boer MR, van der Windt DAWM, Knol DL, Dekker J, Bouter LM, de Vet HCW. Quality criteria were proposed for measurement properties of health status questionnaires. *J Clin Epidemiol* 2007; 60: 34-42.

<http://www.ncbi.nlm.nih.gov/pubmed/17161752?dopt=Citation>

Mokkink LB, Terwee CB, Patrick DL, Alonso J, Stratford PW, Knol DL, Bouter LM, de Vet HC. The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. *J Clin Epidemiol* 2010 Jul;63(7):737-45.

<http://www.ncbi.nlm.nih.gov/pubmed/20494804?dopt=Citation>

Horak FB. Clinical assessment of balance disorders. *Gait & Posture* 1997;6(1):76-84.

[http://apps.isiknowledge.com/InboundService.do?product=WOS&action=retrieve&SrcApp=RefMan&UT=A1997XP39800009&SID=W1CHpL19obCL3fImn96&Init=Yes&SrcAuth=ResearchSoft&mode=FullRecord&customersID=ResearchSoft&DestFail=http%3A%2F%2Faccess.isiproducts.com%2Fcustom\\_images%2Fwok\\_failed\\_auth.html](http://apps.isiknowledge.com/InboundService.do?product=WOS&action=retrieve&SrcApp=RefMan&UT=A1997XP39800009&SID=W1CHpL19obCL3fImn96&Init=Yes&SrcAuth=ResearchSoft&mode=FullRecord&customersID=ResearchSoft&DestFail=http%3A%2F%2Faccess.isiproducts.com%2Fcustom_images%2Fwok_failed_auth.html)

Ostelo RW, Deyo RA, Stratford P, Waddell G, Croft P, Von Korff M, Bouter LM, de Vet HC. Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. *Spine* 2008;33:90-94. <http://www.ncbi.nlm.nih.gov/pubmed/18165753?dopt=Citation>

Mokkink LB, Terwee CB, Knol DL, Stratford PW, Jordi Alonso J, Donald L Patrick DL, Bouter LM, de Vet HCW. The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. *BMC Medical Research Methodology* 2010, 10:22

<http://www.biomedcentral.com/1471-2288/10/22>

Strand LI, Anderson B, Lygren H, Skouen JS, Ostelo R, Magnussen LH. Responsiveness to change of 10 physical tests used for patients with back pain. *Physical Therapy* 2011; 91: 404-15.

<http://www.ncbi.nlm.nih.gov/pubmed/21273629?dopt=Citation>

Wand,B.M.; Chiffelle,L.A.; O'Connell,N.E.; McAuley,J.H.; Desouza,L.H. Self-reported assessment of disability and performance-based assessment of disability are influenced by different patient characteristics in acute low back pain. *Eur Spine J* 2010;19:633-40.

<http://www.ncbi.nlm.nih.gov/pubmed/19851791?dopt=Citation>

Wild D, Grove A, Martin M, Eremenco S, McElroy S, Verjee-Lorenz A, Erikson P. Principles of Good Practice for the Translation and Cultural Adaptation Process for Patient-Reported Outcomes (PRO) Measures: report of the ISPOR Task Force for Translation and Cultural Adaptation. *Value Health* 2005;8(2):94-104.

<http://www.ncbi.nlm.nih.gov/pubmed/15804318?dopt=Citation>

### **Helserelatert livskvalitet – conceptual model**

Ferrans CE, Zerwic JJ, Wilbur JE, Larson, JL. Conceptual Model of Health-Related Quality of Life. *J Nursing Scholarship*, 2005; 37; 4; 336-342.

<http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=4&sid=434b31b0-e3d2-4b53-9330-4ab19e2e63a0%40sessionmgr111&hid=108>

### **Observasjon som metode**

Patton MQ. *Fieldwork Strategies and Observational Methods*. I: Patton MQ. *Qualitative Research & Evaluation Methods*. 3<sup>rd</sup> ed. Thousand Oaks: Sage Publications; 2002: 259-332.

Steihaug S, Malterud K. Part Process Analysis: a qualitative method for Studying provider - patient interaction. *Scand J Public Health*, 2003 (31):107-112.

<http://www.ncbi.nlm.nih.gov/pubmed/12745760?dopt=Citation>

Öhman A. Qualitative methodology for rehabilitation research. *J Rehabil Med* 2005; 37:273-80.

<http://www.ncbi.nlm.nih.gov/pubmed/16208859?dopt=Citation>

Øien, A.M., Iversen, S., Steihaug, S., Råheim, M. (2010). Communication as negotiation processes in Long-Term physiotherapy: a Qualitative study. *Scandinavian Journal of Caring Sciences*, doi:10.1111/j.1471-6712.2010.00790.x

<http://www.ncbi.nlm.nih.gov/pubmed/20384974?dopt=Citation>