

BEVEGELSESVITENSKAP (FYST 332), VÅRSEMESTERET 2014
(10 studiepoeng)

*Litteratur i [klammeparentes] gjelder bøker som må anskaffes separat. Det lages ikke kompendium til dette kurset, men litteratur med link finnes i fulltekst på nettet. Artikler som ikke er tilgjengelig i fulltekst står i kursiv med *. Disse finnes som PDF-filer hos kursansvarlig.*

[Carr JH, Shepherd RB. Neurological Rehabilitation: Optimizing Motor Performance, Edition 2. Churchill Livington] (ny utgave kom i 2011).

Clegg A, Young J, Iliffe S, Rikkert MO, Rockwood K. Frailty in elderly people. Lancet. 2013 Mar 2;381(9868):752-62. doi: 10.1016/S0140-6736(12)62167-9. Epub 2013 Feb 8.
<http://www.ncbi.nlm.nih.gov/pubmed/23395245>

Dobkin B H: Strategies for stroke rehabilitation, The Lancet Neurology vol 3, Sept 2004: 528-536
<http://www.ncbi.nlm.nih.gov/pubmed/15324721?dopt=Citation&otool=inoublib>

Dromerick AW, Lum PS, Hidler J. Activity-based therapies. NeuroRx 2006; 3(4):428-438.
<http://www.ncbi.nlm.nih.gov/pubmed/17012056?dopt=Citation&otool=inoublib>

**Geurts AC, Mulder TW, Rijken RA, Nienhuis B. From the analysis of movements to the analysis of skills. Bridging the gap between laboratory and clinic. J Rehabil Sci 1991; 4(1):9-12.*

Gjelsvik B, Breivik K, Verheyden G, Smedal T, Hofstad H, Strand LI. The Trunk Impairment Scale - modified to ordinal scales in the Norwegian version. Disabil Rehabil. 2012;34(16):1385-95. Epub 2011 Dec 23. <http://www.ncbi.nlm.nih.gov/pubmed/22191850>

Granat MH. Event-based analysis of free-living behaviour. Physiol Meas. 2012 Nov;33(11):1785-800. doi: 10.1088/0967-3334/33/11/1785. Epub 2012 Oct 31.
<http://www.ncbi.nlm.nih.gov/pubmed/23110873>

Hadders-Algra M : The neuronal group selection theory: promising principles for understanding and treating developmental motor disorders. Developmental Medicine and Child Neurology 2000; 42:707-715.
<http://www.ncbi.nlm.nih.gov/pubmed/11085302?dopt=Citation&otool=inoublib>

Hausdorff JM, Rios DA, Edelberg HK. Gait variability and fall risk in community-living older adults: a 1-year prospective study. Arch Phys Med Rehabil. 2001 Aug;82(8):1050-6.
<http://www.ncbi.nlm.nih.gov/pubmed/11494184>

Hubbard IJ, Parsons MW, Neilson C and Carey LM 2009 Task-specific training: evidence for and translation to clinical practice. Occup Ther Int 16: 175-189.
<http://www.ncbi.nlm.nih.gov/pubmed/19504501?dopt=Citation>

Helbostad JL, Leirfall S, Moe-Nilssen R, Sletvold O. Physical fatigue affects gait characteristics in older persons. J Gerontol A Biol Sci Med Sci 2007 Sep;62(9):1010-5. (NB tilgjengelig via Helsebiblioteket)
<http://www.ncbi.nlm.nih.gov.proxy.helsebiblioteket.no/pubmed?term=helbostad%20leirfall>

Hodges PW, Cresswell AG, Daggfeldt K, Torstenesson A: Three dimensional preparatory trunk motion precedes asymmetrical upper limb movement. Gait and Posture 2000; 11(2):92-101.
<http://www.ncbi.nlm.nih.gov/pubmed/10899662?dopt=Citation&otool=inoublib>

Hodt-Billington C, Helbostad JL, Vervaat W, Rognsvåg T, Moe-Nilssen R. Criteria of gait asymmetry in patients with hip osteoarthritis. *Physiother Theory Pract*. 2012 Feb;28(2):134-41. Epub 2011 Jul 3
<http://www.ncbi.nlm.nih.gov/pubmed/21722001>

Pollock AS, Durward BR, Rowe PJ, Paul JP. What is balance? *Clin Rehabil*. 2000 Aug;14(4):402-6.
<http://www.ncbi.nlm.nih.gov/pubmed/10945424>

Kavanagh JJ, Menz HB. Accelerometry: a technique for quantifying movement patterns during walking. *Gait Posture* 2008 Jul;28(1):1-15.
<http://www.ncbi.nlm.nih.gov/pubmed/18178436?dopt=Citation>

Kleim JA, Jones TA. Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage. *J Speech Lang Hear Res*. 2008 Feb;51(1):S225-39.
<http://www.ncbi.nlm.nih.gov/pubmed/18230848>

Kwakkel G, Kollen B and Lindeman E 2004 Understanding the pattern of functional recovery after stroke: facts and theories. *Restor Neurol Neurosci* 22: 281-299.
<http://www.ncbi.nlm.nih.gov/pubmed/15502272?dopt=Citation>

Latash ML, Anson JG. Synergies in health and disease: relations to adaptive changes in motor coordination. *Phys Ther* 2006; 86(8):1151-1160.
<http://www.ncbi.nlm.nih.gov/pubmed/16879049?dopt=Citation&otool=inoublib>

Leveille SG, Jones RN, Kiely DK, Hausdorff JM, Shmerling RH, Guralnik JM, Kiel DP, Lipsitz LA, Bean JF. Chronic musculoskeletal pain and the occurrence of falls in an older population. *JAMA*. 2009 Nov 25;302(20):2214-21. doi: 10.1001/jama.2009.1738.
<http://www.ncbi.nlm.nih.gov/pubmed/19934422>

Lee TD, Swanson LR, Hall AL: What is repeated in a repetition? Effects of practice conditions on motor skill acquisition. *Phys Ther* 1991;71(2):150-6.
<http://www.ncbi.nlm.nih.gov/pubmed/1989010?dopt=Citation&otool=inoublib>

Mancini M, Horak FB. The relevance of clinical balance assessment tools to differentiate balance deficits. *Eur J Phys Rehabil Med*. 2010 Jun;46(2):239-48.
<http://www.ncbi.nlm.nih.gov/pubmed/20485226>

Maki BE. Gait changes in older adults: predictors of falls or indicators of fear. *J Am Geriatr Soc*. 1997 Mar;45(3):313-20.
<http://www.ncbi.nlm.nih.gov/pubmed/9063277>

**Majsak M: Application of motor learning principles to stroke population. Top Stroke Rehabil 1996;3(2):27-59*

Moe-Nilssen R. A new method for evaluating motor control in gait under real-life environmental conditions. Part 2: Gait analysis. *Clin Biomech* 1998; 13(4-5):328-335
<http://www.ncbi.nlm.nih.gov/pubmed/11415804?dopt=Citation&otool=inoublib>

Moe-Nilssen R, Helbostad JL, Talcott JB, Toennesen FE. Balance and gait in children with dyslexia. *Exp Brain Res* 2003; 150(2):237-244
<http://www.ncbi.nlm.nih.gov/pubmed/12682807?dopt=Citation&otool=inoublib>

Moe-Nilssen R, Helbostad JL. Interstride trunk acceleration variability but not step width variability can differentiate between fit and frail older adults. *Gait & Posture* 2004; 21:164-170.
<http://www.ncbi.nlm.nih.gov/pubmed/15639395?dopt=Citation&otool=inouplib>

Moe-Nilssen R, Aaslund MK, Hodt-Billington C, Helbostad JL. Gait variability measures may represent different constructs. *Gait Posture* 2010 May;32(1):98-101.
<http://www.ncbi.nlm.nih.gov/pubmed/20434916?dopt=Citation>

Morris ME: Current status of the motor program. *Phys Ther* 1994;74:738-52.
<http://www.ncbi.nlm.nih.gov/pubmed/8047562?dopt=Citation&otool=inouplib>

Nordin E, Moe-Nilssen R, Ramnemark A, Lundin-Olsson L. Changes in step-width during dual-task walking predicts falls. *Gait Posture*. 2010 May;32(1):92-7. doi: 10.1016/j.gaitpost.2010.03.012. Epub 2010 Apr 15.
<http://www.ncbi.nlm.nih.gov/pubmed/20399100>

**Plummer AC. Constraint-induced therapy and the motor learning literature that underpins its application. Physical Therapy Reviews 2003; 8:143-149.*

Robinovitch SN, Feldman F, Yang Y, Schonnop R, Leung PM, Sarraf T, Sims-Gould J, Loughin M. Video capture of the circumstances of falls in elderly people residing in long-term care: an observational study. *Lancet*. 2013 Jan 5;381(9860):47-54. doi: 10.1016/S0140-6736(12)61263-X. Epub 2012 Oct 17.
<http://www.ncbi.nlm.nih.gov/pubmed/23083889>

**Schmidt RA: Motor learning principles for physical therapy. In: Contemporary management of motor problems. Proceedings of the II STEP Conference 1990. USA: Foundation for Phys Ther, 1991:49-63.*

[Shumway-Cook A, Woollacott MH. Motor control: translating research into clinical practice. 4 th edition. Philadelphia: Lippincott Williams & Wilkins; 2011.: Section I. Theoretical framework. Section 2. Postural control. Section 3. Mobility function]

Taub E, Uswatte G, Elbert T. New treatments in neurorehabilitation founded on basic research. *Nat Rev Neurosci* 2002; 3(3):228-236.
<http://www.ncbi.nlm.nih.gov/pubmed/11994754?dopt=Citation&otool=inouplib>

Thelen E: Motor development: A new synthesis. *American Psychologist* 1995;50:79-95.
<http://www.ncbi.nlm.nih.gov/pubmed/7879990?dopt=Citation&otool=inouplib>

**Valvano J. Activity-focused motor interventions for children with neurological conditions. Phys Occup Ther Pediatr 2004; 24(1-2):79-107.*

**Vereijken B, Adolph K E: Transitions in the development of locomotion. In Savelsbergh GJP, van der Maas HLJ, van Geerts PCL (Eds.): Non-linear developmental processes. Amsterdam: Elsevier 1999:137-149.*

Wolf SL, Winstein CJ, Miller JP, Taub E, Uswatte G, Morris D, et al. Effect of constraint-induced movement therapy on upper extremity function 3 to 9 months after stroke: the EXCITE randomized clinical trial. *JAMA* 2006 Nov 1;296(17):2095-104.
<http://jama.ama-assn.org/content/296/17/2095.full.pdf+html>

Faggrupper i fysioterapi, 28.11.13

Wolfson L. Gait and balance dysfunction: a model of the interaction of age and disease. *Neuroscientist* 2001; 7(2):178-183.

<http://www.ncbi.nlm.nih.gov/pubmed/11496928?dopt=Citation&otool=inoublib>

Woollacott M, Shumway-Cook A. Attention and the control of posture and gait: a review of an emerging area of research. *Gait Posture* 2002; 16(1):1-14.

<http://www.ncbi.nlm.nih.gov/pubmed/12127181?dopt=Citation&otool=inoublib>